

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181 www.**FUTUREAUTOMATION**.NET






SPECIFICATION	MEASUREMENTS
Product Dimensions	350 x 270 x 100mm (13.4 x 10.6 x 3.9")
Maximum Weight Capacity	35kg (77lbs)
Depth From Ceiling	100mm (3.9")
Product Weight	2.5Kg (5.5lb)
Packaging Dimensions	400 x 320 x 150mm (15.74 x 12.59 x 5.90")
Shipping Weight	3kg (7lbs)
Maximum Rotation	360°
Movement Type	Manual
Adjustments	Pitch, Roll and Yaw are adjustable
Mounting Options	Flush Surface, Pole, Telescopic Pole, NPT Pipe
Product Options / Features	Projector specific mounts / adapters, Custom RAL paint finishes
Package Contents	Mechanism, Extension Plates
Marine Suitable	Yes (Indoor)







CEILING FIXTURE OPTIONS



SURFACE MOUNTED

Leaves projector 100mm [4"] from ceiling for a neat stylish look.

POLE MOUNTED

Different pole length versions, custom length poles can be designed.

Cables exit out of top of 2" diameter stainless steel pole.


NPT PIPE MOUNTED

Couplings for standard NPT pipe (pipe not supplied).

Cables exit out of top of NPT ceiling flange coupling orout of side of coupling if required.

Cables exit out of top of 2" diameter stainless steel pole.

future automation




TELESCOPIC POLE MOUNTED

400mm [15.75"] long pole that telescopes down to 700mm [27.5"].





POLE COVER ASSEMBLY




DETAIL A






ADDITIONAL DROP

The standard PM system comes with a flush ceiling mount. However, if you require the PM system to be lowered on a stainless steel pole, you can specify a fixed length pole.





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181 www.**FUTUREAUTOMATION**.NET


- Available Drop Sizes:
- 250 (250mm [9.8"] Fixed Pole Length)
- 500 (500mm [19.7"] Fixed Pole Length)
- 750 (750mm [29.5"] Fixed Pole Length)
- 400T (400mm to 700mm [15.7" to 27.6"] Telescopic Pole)





PROJECTOR MOUNTING DIMENSIONS

This mount set up allows for lots of different mount patterns on projectors, if a projector has an irregular mount pattern custom adapter plates can be designed.













GENERAL DIMENSIONS















NPT DIMENSIONS


This mount set up allows for standard 1 1/2" NPT pipe to be used to allow the installer to make their own custom length pole.


The overall length of the pipe is just 6.25" [158mm] less than the overall drop required from ceiling to projector.


Couplings are machined aluminium finish.













UK +44 (0) 1438 833577 **US** +1 (603) 742 9181 www.**FUTUREAUTOMATION**.NET







MOUNTING OPTIONS





DETAIL B

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181 www.**FUTUREAUTOMATION**.NET

future automation



4 x ∅ 6[0.2] THRU

TECHNICAL SHEET

ISSUE 010 SHEET 9

4 x Ø 10[0.4] THRU

Õ